



15 YEARS
DUOTON FINISH

30 YEARS
PURE FINISH

50 YEARS
ON SUBSTRATE



As beautiful
as it is durable

GOODSTYLE 2.0

ENGINEERED WOOD SIDING



GOODSTYLE²⁰

PURE COLLECTION

The PURE collection offers a palette of 18 solid paint finishes that will highlight the beauty of your home.



SOLID PAINT FINISH
UNLIMITED CHOICE

PROUDLY FINISHED WITH
SHERWIN-WILLIAMS
COATINGS

Inspired by a specific colour?
With Sherwin-Williams's colour matching system,
Goodfellow can offer infinite choices of solid paint colours.


DUOTON COLLECTION

The DUOTON collection of 9 colours unique to Goodfellow will elevate the natural wood texture using a special two-step, two-tone paint process.





To provide you with the flexibility and customization options to fit all your project needs, GOODSTYLE 2.0 is available in the following formats: 6", 8" or 12" widths; 12' length planks; Lap or Lock"

Lock



Lap



ALBATROSS



BISTRE




CIRRUS WHITE



BRUMBY




CARIBBEAN CAFE




ALPINE GRAY




MIDNIGHT



MISTIQUE



MOCACCHINO



LENGTH	WIDTH	THICKNESS	WEIGHT
GOODSTYLE 2.0 - LAP			(1.55 lb / sq ft)
12'	6"	3/8"	7.56 LB /UNIT
12'	8"	3/8"	10.85 LB / UNIT
12'	12"	3/8"	17.05 LB / UNIT
GOODSTYLE 2.0 - LOCK			(1.55 lb / sq ft)
12'	6"	3/8"	7.56 LB /UNIT
12'	8"	3/8"	10.85 LB / UNIT
12'	12"	3/8"	17.05 LB / UNIT



TRIMS



NAILS



VENTILATION



METAL JOINT

Makes installation easy, colour matched to your siding.

ACCESSORIES

Goodfellow has everything to complete your exterior engineered wood siding project.

Mouldings and Trims

- 1" thickness
- Multiple sizes options from 1 ½" to 11 ¼"
- 6" metal joint moulding
- Prefabricated corners 5/4" x 4" x 4" or 5/4" x 6" x 6"

Ventilation

- 10' ventilated metal moulding
- 10' ventilated metal starter strip

Nails

- Galvanized steel nails (optional tinting) 2", 2 ½", 3"
- Stainless steel nails (optional tinting) 2", 2 ½", 3"
- Wire coiled nails 2", 2 ½", 3"

Touch-up paint: 1, 4 or 20 L

Caulking and Sealant



For more information, contact one of our branch locations or visit:



goodfellowinc.com