

eva-last®

INSPIRED BY NATURE, DESIGNED FOR LIFE.



SUSTAINABLE BUILDING MATERIALS CATALOG



Intertek



www.eva-last.ca

Distributed by

GOODFELLOW 



LOW ENVIRONMENTAL IMPACT

Holistically sustainable manufacturing & use of raw materials

When you choose Eva-Last®, you're choosing the best solution for both you and the environment. Eva-Last® products are the low-maintenance, reliable alternative to wood that consistently outperform timber and other composite materials. They're also the environmentally friendly material choice that is gentler on the Earth.



BAMBOO WASTES LESS & PROVIDES MORE

Eva-Last® uses bamboo in its composite production. Bamboo can grow up to 30 times faster than timber and releases 35 percent more oxygen into our air than most hardwood trees. It can be made into composite with only 2 percent wastage (compared to over 80 percent wastage with timber) and is naturally antibacterial.



USE OF RECYCLED PLASTIC

By using recycled waste plastics, in combination with easily replenishable bamboo fiber, we are able to produce a highly durable composite product while saving millions of tons of plastic from entering landfills and oceans. Every year Eva-Last® recycles over 26,000 tons of plastic. Recycling one ton of plastic results in carbon dioxide savings of approximately 0.73 tons – the same as traveling nearly 2,500 miles in a car.




USE OF SOLAR POWER IN THE MANUFACTURING PROCESS

Traditional manufacturing is an energy-intensive endeavor. That's why Eva-Last® took the decision to start moving towards manufacturing using solar energy. Since 2017, 32,858 solar panels, or 955,000 ft² of solar panels, have been installed. This leads to a saving of 2,000 tons of CO₂ every single day.

Eva-Last® has been at the forefront of the green building industry since its inception in 2007. We are dedicated to consistently improving how we serve the environment and our clients. From the recycled and renewable raw ingredients we use to create our products, to the solar power we harness to manufacture, we are proud to offer holistically sustainable building products.

**Holistically sustainable building products
from a globally reputable brand**



TECHNOLOGIES

Eva-Last® has developed a resilient collection of bamboo composite technologies, each with its own unique characteristics and set of benefits. These versatile materials can be used in a variety of applications such as decking, stairs, trim, screening and wall cladding.



Pioneer

RARE WOOD REPLICATED IN REINFORCED BAMBOO-PVC COMPOSITE

Pioneer offers photorealistic print technology for a remarkable natural look and a glass fiber-reinforced core for increased strength.



Apex PLUS

REINFORCED, CAPPED BAMBOO FOAMED-PVC COMPOSITE

Apex PLUS offers you a resilient and natural looking composite with a glass fiber-reinforced core, that allows for increased strength and span capability.



Infinity

CAPPED BAMBOO COMPOSITE

Infinity composite adds value and good looks to your outdoor space and to your lifestyle by giving you steadfast composite that lasts for decades.

EVA-LAST[®]

INSPIRED BY NATURE, DESIGNED FOR LIFE.

HIGH PERFORMANCE BAMBOO COMPOSITE DECKING

Featured: **Infinity, Oasis Palm**

Featured: **Ultraspan, Xavia**

Capped composite decking and Ultraspan pergola

Pioneer

RARE WOOD REPLICATED IN REINFORCED BAMBOO- PVC COMPOSITE

The Pioneer range is advancing composite aesthetics with high-resolution digital replications of endangered hardwoods and rare timbers, playing a vital role in preventing the future felling and possible extinction of these wood species. A bamboo foamed-PVC and glass fiber-reinforced core provides increased strength and span capability and reduces expansion and contraction of the PVC. Its advanced wear layer and composition protect against fading, scratches, moisture, and stains.

GFR | GLASS FIBER
REINFORCED


PRODUCT COMPOSITION

Pioneer offers a GFR reinforced core and a photorealistic print surface finish with a clear outer wear layer that provides extra protection for the color and resiliency of the board.



SOLID PROFILE
SPAN 24" OC

GFR | GLASS FIBER
REINFORCED

For more information on Pioneer
visit www.eva-last.com/ca

TAKE HOME THE BENEFITS



REALISTIC AESTHETIC

Advanced digital scan replication of rare wood for an exceptionally natural look



ECO-FRIENDLY

Prevents deforestation by capturing the beauty of endangered timbers without felling



AFFORDABLE LUXURY

Enjoy the look of expensive rare woods in long-lasting composite



INCREASED SPAN

Reinforced for improved strength & span capability



MORE STABLE

Less movement from expansion & contraction



WEAR LAYER

Wear layer offers protection against stains, scratches and fading



DECAY RESISTANT

Long-lasting & resists insects, moisture, & weather









LOW-MAINTENANCE

Only basic care required for optimal longevity

Pioneer

PRODUCT RANGE

Pioneer can be used as stunning outdoor decking or as open joint cladding in vertical or wall applications. Grooved and starter board profiles come in two convenient widths, and fascia and riser boards complete the collection. All Pioneer boards work just like wood and can be cut using standard tools.

Cross section	Description	Dimensions	Lengths	Joist spacing	Fasteners
	Grooved board	1 x 6 0.83" x 5.70" actual	12', 16', & 20' (3.6 m, 4.8 m & 6 m)	Up to 24"	Chain collated clip
	Starter board	1 x 6 0.84" x 5.70" actual	20' (6 m)	Up to 24"	Chain collated clip & CDS
	Wide grooved board	1 x 8 0.83" x 7.48" actual	12', 16', & 20' (3.6 m, 4.8 m & 6 m)	Up to 24"	Chain collated clip
	Wide starter board	1 x 8 0.84" x 7.48" actual	20' (6 m)	Up to 24"	Chain collated clip & CDS
	Riser board Non-GFR	1/2 x 8 0.55" x 7.24" actual	12' (3.6 m)	12" Non-load bearing applications only	Trim screws
	Fascia board Non-GFR	1/2 x 10 0.59" x 9.85" actual	12' (3.6 m)	12" Non-load bearing applications only	Trim screws



SOLID PROFILE
SPAN 24" OC

*The HULK Fasteners range includes Chain collated clip, color matching composite deck screws (CDS), and color matching trim screws.



PIONEER COLOR GUIDE

The Pioneer color range celebrates the beauty of timber with exceptionally natural-looking composite. Pioneer offers state-of-the-art high resolution print technology to give each board an unrepeated realistic wood grain texture. This technology mirrors the hues and tones of specific timber types.



Actual colors may vary depending on printing or screen variations. We recommend looking at a physical sample for the most accurate color representation.



Apex PLUS

BETTER PERFORMING, BETTER LOOKING COMPOSITE

Apex PLUS takes the benefits of Apex composite to the next level. It offers the natural look of Apex in cutting-edge composite technology. Its improved bamboo foamed-PVC and glass fiber-reinforced core creates a more durable and versatile board with increased span capabilities and greater stability. This eco-friendly and slip resistant composite is low maintenance and faces Mother Nature's toughest conditions with reliable long-term performance and timeless style.




8110-2314:0500

Approved for use in the Wildland Urban Interface areas

REINFORCED, CAPPED BAMBOO-PVC COMPOSITE

Apex PLUS offers you a resilient and natural looking composite. Its bamboo foamed-PVC and glass fiber-reinforced core allows for increased span capability over Apex. Low-maintenance Apex PLUS is more stable with less expansion and contraction than its predecessor and requires only basic cleaning for optimal longevity. Its protective cap is made from a resilient acrylic polymer coating for long-term fade, scratch, and stain resistance. Apex PLUS also provides decay resistance against insects, moisture, and the elements. Apex PLUS is an eco-friendly alternative to timber that prevents deforestation and premature deck replacement and uses solar power within the manufacturing process.



Capping material:
Protective co-extruded cap

Core material:
Bamboo foamed-PVC composite with
glass fiber-reinforcement

Sculpted grain finish

GFR | GLASS FIBER REINFORCED





For more information on ApexPLUS
visit www.eva-last.com/ca

TAKE HOME THE BENEFITS



INCREASED SPAN

Reinforcement improves strength
& span capability



MORE STABLE

Less movement from expansion
& contraction



NATURAL AESTHETIC

Advanced technology for more
natural looking composite



SLIP RESISTANT

Reliable slip resistance properties



LOW-MAINTENANCE

Only basic care required for
optimal longevity



PROTECTIVE CAP

Fade, scratch, & stain resistant
capping technology



DECAY RESISTANT

Resists insects, moisture, & weather



ECO-FRIENDLY

Long-lasting & prevents deforestation




APEX PLUS DECKING PROFILE TYPES

Apex PLUS is available in two profile designs to let you build your dream outdoor space. Both profiles offer the renowned Apex color technology and composition with the state-of-the-art Apex PLUS reinforced core. Grooved boards and starter boards offer the complete solution for any outdoor decking project. Starter boards are specifically designed for creating perfect picture frames, and classy deck and stair edges. Create an uninterrupted installation with Chain collated decking clips and color matching composite decking screws by HULK fasteners.

Cross section	Description	Dimensions	Lengths	Joist spacing	Fasteners
	Grooved board	1 x 6 0.88" x 5.51" actual	12', 16', & 20' (3.6 m, 4.8 m, & 6 m)	Up to 24"	Chain collated clip
	Starter board	1 x 6 0.90" x 5.51" actual	20' (6 m)	Up to 24"	Chain collated clip & CDS
	Wide grooved board	1 x 8 0.88" x 7.48" actual	12', 16', & 20' (3.6 m, 4.8 m, & 6 m)	Up to 24"	Chain collated clip
	Wide starter board	1 x 8 0.90" x 7.48" actual	20' (6 m)	Up to 24"	Chain collated clip & CDS
	Riser board Non-GFR	1/2 x 8 0.55" x 7.24" actual	12' (3.6 m)	12" Non-load bearing applications only	Trim screws
	Fascia board Non-GFR	1/2 x 12 0.63" x 11.22" actual	12' (3.6 m)	12" Non-load bearing applications only	Trim screws

SOLID PROFILE
SPAN 24" OC

*The HULK Fasteners range includes Chain collated clip, color matching composite deck screws (CDS), and color matching trim screws.







Featured: **Apex PLUS, Brazilian Teak**
Single sided grooved decking and starter board



COLOR RANGE

Apex PLUS dual color range adds an additional layer of color to each board to further enhance its natural look. The variance in shades within a single composite profile beautifully showcases the color tones found in timber making your composite all the more striking. Dual tone colors are ideal for mid-to-large-scale composite decks and projects or other areas that are all about that natural look.



Actual colors may vary depending on printing or screen variations. We recommend looking at a physical sample for the most accurate color representation.

Infinity

ULTIMATE PEACE OF MIND

Infinity bamboo composite is the ultimate in durability and one of the toughest co-extruded composite decking ranges available. Its resilient protective cap made of an advanced polymer resists scratches, fade, mold, and mildew, and makes Infinity exceptionally low-maintenance, with only the most basic cleaning required for optimal longevity. Infinity offers decay and weather resistance with top protection from insects and harsh weather. Its streaked color variation provides a natural look that embodies the essence of timber. Enjoy the stain and slip resistance of this environmentally friendly alternative to timber, that is holistically sustainable from its manufacturing to its use of raw material.



CAPPED BAMBOO COMPOSITE

Infinity composite adds value and good looks to your outdoor space and your lifestyle by giving you steadfast composite that lasts for decades. Find the peace of mind that comes with creating a deck that's built for the real outdoors, complete with family gatherings, lively get-togethers, and rejuvenating moments of relaxation.



Capping material:
Engineered polymer

Core material:
Bamboo PE composite

Infinity **IS**

P PATENTED TECHNOLOGY





For more information on Infinity
visit www.eva-last.com/ca

TAKE HOME THE BENEFITS



DURABLE

One of the toughest
co-extruded composites



PROTECTIVE CAP

Fade, scratch, & stain resistant
capping technology



LOW-MAINTENANCE

Only basic care required for
optimal longevity



DECAY RESISTANT

Resists insects, moisture,
& weather



STAIN RESISTANT

Built-in protection against stains



NATURAL LOOK

Specialized streaked color technology



SLIP RESISTANT

Reliable anti-slip protection



ECO-FRIENDLY

Sustainable manufacturing &
use of raw materials

Added benefits of I-Series



COST-EFFECTIVE

Smart shape saves on
transport & installation



LIGHTWEIGHT

I-beam design is lighter by
using less material



SPAN

Span capability of heavier boards



INSTALLATION






Easier and more efficient installation



Infinity

INFINITY DECKING PROFILE TYPES




Infinity capped bamboo composite adds durability and functionality to your outdoor space in a range of profile designs. Grooved decking boards install easily with hidden clips while square edge boards install with conveniently color matched top fixing screws. The ultra-lightweight Infinity IS (I-Series) range utilizes the classic I-beam shape to create an even lighter weight profile available in grooved decking, starter board, and fascia options.

Cross section	Description	Dimensions	Lengths	Joist spacing	Fasteners
	Starter board	1 x 6 0.92" x 5.35" actual	20' (6 m)	16"	Chain collated clip & CDS
	I-Series grooved board	1 x 6 0.91" x 5.35" actual	12', 16', & 20' (3.6 m, 4.8 m, & 6 m)	16"	Chain collated clip
	Wide I-Series grooved board	1 x 7 0.91" x 6.83" actual	12', 16', & 20' (3.6 m, 4.8 m, & 6 m)	16"	Chain collated clip
	Riser board	1/2 x 8 0.65" x 7.24" actual	12' (3.6 m)	12" Non-load bearing applications only	Trim screws
	Fascia board	1/2 x 12 0.71" x 11.90" actual	12' (3.6 m)	12" Non-load bearing applications only	Trim screws



COLOR RANGE

Infinity composite offers exceptionally natural looking colors thanks to its advanced color technology that gives each board unique color variation to embody the essence of timber. This specialized color streaking technique also ensures that no two boards are identical and that all boards boast the beautiful appearance of wood. Choose from a range of hues and tones to complement your space and style.



Actual colors may vary depending on printing or screen variations. We recommend looking at a physical sample for the most accurate color representation.



ADVANCED BAMBOO COMPOSITE CLADDING

The VistaClad lightweight bamboo composite cladding system is revolutionizing how cladding works with an innovative clip strip that locks boards into place using reliable dual spring technology. VistaClad is available in a range of colors and finishes, with trim and accessories, as a complete cladding system designed for ease of installation. Backed by an industry-leading warranty, this low-maintenance, weather-resistant cladding is a smart, cost-efficient investment in your project and a sustainable investment in our planet.



VISTA CLAD SYSTEM COMPONENTS

The VistaClad system combines Eva-Last composite technologies with an innovative installation process to provide a robust and convenient cladding solution. The resultant hidden fixing generates an unblemished finish and avoids the limitations or inconvenience of fastening through composite.



Composite Cladding Boards



Clip Strips



Adaptors & Trim Profiles

CUTTING-EDGE SUSTAINABLE CLADDING

VistaClad bamboo composite cladding breathes vibrancy into your home or office space and enhances your walls with the attractive look of natural hardwoods. Let routine maintenance and premature replacement be things of the past as you look to the future with one of the most cutting-edge cladding systems available, complete with complementary trim for a neat and tidy finish.



TAKE HOME THE BENEFITS



CLIP LOCK DESIGN
Boards securely click & lock into place to withstand strong winds



LOW-MAINTENANCE
Ideal for large-scale projects & application at height



COMPLETE CLADDING SOLUTION
Innovative system with concealed fastening & trim for a finished look



DECAY RESISTANT
Resists biodegradation, corrosion, insects, UV, & harsh weather



LIGHTWEIGHT
Smart system engineered for lighter weight & better airflow



COST-EFFECTIVE SYSTEM
Save on fast, simplified installation & overall upkeep



VENTILATED & INSULATED
Design allows for system ventilation & natural insulation



ECO-FRIENDLY
Sustainable manufacturing & use of raw materials



Available in

Apex

BAMBOO-PVC TECHNOLOGY



Capping material:

Engineered acrylic polymer

Core material:

Bamboo foamed-PVC composite

Sculpted grain finish



VISTA CLAD IN APEX TECHNOLOGY

VistaClad is available in Apex material technology. Backed by a 50-year warranty, Apex lightweight, capped composite is an ideal cladding material option for your VistaClad system. The dual color finish of Apex provides an exceptionally natural looking composite for your VistaClad boards that embodies the essence of timber in a range of nuanced shades to complement your overall project. Install this environmentally friendly, low-maintenance cladding vertically or horizontally to suit your style.





BAMBOO COMPOSITE PROFILES




VistaClad cladding boards are available in Apex bamboo composite material technology (Infinity special order), designed for long-lasting weather resistance, including protection against insects, moisture, and fading. The tongue and groove profile design interlocks the boards, supplying system tolerance while improving load distribution and reduction of moisture ingress.

Apex

BAMBOO FOAMED-PVC CLADDING

Multi-width, multi-depth Apex sizes




Cross section	Product description	Dimensions
	Flat (Apex)	0.96" x 6.42" (24.5 mm x 163 mm)
	Two grooves (Apex)	0.96" x 6.42" (24.5 mm x 163 mm)
	Narrow (Apex)	1.36" x 3.39" (34.5 mm x 86 mm)

Infinity

SPECIAL ORDER ONLY



BAMBOO COMPOSITE CLADDING

Cross section	Product description	Dimensions
	Standard (Infinity)	0.89" x 6.28" (22.5 mm x 159.5 mm)

All board sizes are designed to use the same clip strip.





VISTA CLAD IN APEX DUAL TONE COLOR TECHNOLOGY

The VistaClad system in the Apex dual tone color range offers a sculpted grain finish for more natural looking cladding. Each cladding board has an extra layer of color added to create the subtle variances found in timber. The sculpted grain finish produces a texture that embodies the look of wood to give your exterior walls the beauty of timber cladding in a more resilient, low-maintenance, and eco-friendly composite option. Select Infinity colors are also available by special order.

COLOR RANGE: SCULPTED GRAIN FINISH


TECHNOLOGY: **Apex**



COLOR RANGE: BRUSHED SOFTWOOD FINISH

TECHNOLOGY: **Infinity**

SPECIAL ORDER COLORS



Actual colors may vary depending on printing or screen variations. We recommend looking at a physical sample for the most accurate color representation.



THE CLIP STRIP

The VistaClad clip strip uses a punched spring design that allows the cladding boards to be easily and securely clicked into place. Two epoxy-coated, zinc-galvanized strip profile options provide flexibility in application and allow for optimal ventilation and drainage.

The dual spring-loaded clip creates a rigid hold and locks the boards in place.



FLAT CLIP STRIP

The flat clip strip is fitted directly to the wall substrate or frame. As a result, this solution provides the smallest ventilation/drainage cavity and fixing can only be done through the face of the clip strip.

Dimensions	0.5" x 1.5" (11.7 x 40 mm), 5.9' lengths (1.8 m)
Weight	0.3 lb/ft (0.4 kg/m)



TOP HAT CLIP STRIP

The top hat clip strip fits over 2" / 38 mm (timber) and 2.1" / 40 mm (composite and steel) supports. As a result, the ventilation/drainage cavity will be influenced by the thickness of the support as well as the fixing method but the minimum depth the top hat profile allows for is 1" (25.4 mm). Fixing can be done through the face, the side, and either side of the clip strip base. Fixing through the side allows for the top hat to be plumbed quickly and easily.

Dimensions	1.4" x 3.4" (35.9 x 85.4 mm), 8.9' lengths (2.7 m)
Weight	0.8 lb/ft (1.2 kg/m)



NYLON ADAPTORS



Top & bottom adaptor



Side adaptor



Internal corner adaptor



External corner adaptor

ALUMINIUM TRIM PROFILES



Universal trim profile



T trim profile



Minimal U trim profile



Internal corner trim profile



External corner trim profile


TRIM APPLICATIONS

Trim accessories hide the structure for a neat final look and can be installed using sealing strips to improve the weather resistance of the cladding surface. The clip strip allows for easy guided placement of the adaptors and the universal trims may be used with VistaClad or any cladding boards with a thickness of around 1" (20.5 mm to 26.5 mm).



Top, bottom and side adaptors with universal trim profile

Top and bottom and edge applications



Side adaptor with T trim profile

Side adaptor with minimal U trim profile

Butt joint applications



Internal corner adaptor with internal corner trim profile

External & internal corner applications



External corner adaptor with external corner trim profile

chain

Collated decking clip

A PRODUCT BY **HULK FASTENERS.**

CHAIN COLLATED CLIPS

Chain collated clips save you time and money by streamlining installation with pre-loaded screws that offer cutting-edge performance for the entire lifespan of your deck. Chain collated clips make installation more efficient, and are suitable for use by professionals and novices alike. Enjoy a simpler installation and a more secure long-term fastener that is hidden from sight and complements the overall look of your deck.



GET THE JOB DONE FASTER.



MORE EFFICIENT INSTALLATION

Collated system comes pre-loaded with screws for quicker installation



DURABLE

Stainless steel clip with a protective polymer coating for extended outdoor longevity



INNOVATIVE ENGINEERING


Cost-effective use of materials without affecting grip strength or overall clip performance




UNIVERSAL APPLICATION

Works with timber & composite boards of variable thickness & groove depths

Collation with screw for timber frames



Collation with screw for metal frames





VERSION	QUANTITY	APPROXIMATE COVERAGE
150 SERIES PACK	10 strips of 15 clips with preloaded screws	20 to 30 ft ²
900 SERIES PACK	60 strips of 15 clips with preloaded screws	120 to 180 ft ²

*Coverage is dependent on the joist span and board width of the application.

CHAIN HAND TOOL

The Chain hand tool adds value to the Chain collated clip system by making installations quicker and more efficient thanks to its pre-inserted screws, adjustable joist locating pin and depth-stopping bit, ambidextrous design, and compatibility with a wide range of deck boards and joist widths.







LOW ENVIRONMENTAL IMPACT

Holistically sustainable manufacturing & use of raw materials



CHOOSE SUSTAINABLE BUILDING MATERIALS



RENEWABLE RESOURCES & RENEWABLE ENERGY

We believe that how we manufacture is just as important as what we manufacture when it comes to going green. That's why we've traded in fossil fuels for renewable energy. Our products use solar power as part of our manufacturing process. We are fully committed to bringing you a product that's holistically eco-conscious.

Every Eva-Last® range pairs recycled raw ingredients with bamboo for a stronger, more sustainable composite. Bamboo rejuvenates over 30 times faster than traditional hardwoods and it releases 35% more oxygen into our air. Eva-Last is internationally recognized for our commitment to the environment. We're proud of the work we do to promote environmental sustainability, and invite you to choose timber alternatives that are gentle on the Earth.

- Made from recycled materials
- No trees felled
- No treatment or toxic chemicals required for maintenance
- Solar power used in the manufacturing process
- Reduced impact on landfills
- Reduced carbon footprint

Tel
Goodfellow Canada
1-800-361-6503

Email
info@goodfellowinc.com

Distributed by



www.eva-last.ca